

DocuCentre S2011

A3 Monochrome Multifunction Device

The perfect solution for small- and medium-sized businesses





A3 Monochrome Desktop Digital Multifunction Device Convenient and always ready to go

A multifunction device with all you need for any office task. Improve office efficiency with this compact multifunction device. Always available and at hand to enhance office workflows.

Combining high productivity with eco-friendly operation.

| | | | | | |
|---------------------|-----------|-------------|-----------|-------------------------|--|
| Copy / Print | | Scan | | Net Work | |
| B/W | Max | B/W | Colour | Ethernet | |
| 20/20 | A3 | 23 | 23 | 100BASE-TX/ 10BASE-T | |
| ppm | | ppm | ppm | | |



DocuCentre S2011

Speedy operation

Reduced first-copy-out time

DocuCentre S2011's First Copy Output Time of only 7.4 seconds* saves time when in a rush.

* A4 landscape

Fast The warm-up time and high-speed output

The warm-up time is less than 19 seconds*. Smooth copy/output saves time when in a rush.

* Time for the device to activate from sleep mode.

Outstanding productivity features

Print multiple pages on one sheet

Different documents can be printed on either side of a piece of paper. Also, by reducing the size of documents, up to eight pages can be printed onto one sheet. This helps conserve paper.



Colour scanning as a standard function

Select a scanning resolution up to 400 dpi. Scans can be saved in the following formats: XDW, PDF, BMP and TIFF.



Convenient ID card copy function

Both sides of a card can be copied onto one side of a sheet of paper. You can copy one or two cards at the same time.



Print and copy on heavy paper

Print certificates or greeting cards on 60-216 gsm paper. Printing can be easily customised for nearly any job, eliminating the need to outsource.

Continuous printing of up to 999 pages

Designed for productivity and reliability to allow printing up to 999 pages per job.

Eco friendly

Internationally recognized environmental compliance

The amount of ultrafine particles (UFPs*) emitted during continuous printing has been reduced by optimising operation settings.

* Ultrafine particles (UFPs) are tiny particulates less than 100 nanometres in diameter. They are far smaller than the PM2.5 particle class, the regulations for which are becoming stricter from an environmental perspective.


Eco friendly and energy saving

The TEC value* complying the International Energy Star Program is 1.1kWh. Compared to a conventional model, DocuCentre S2011 reduced power consumption by 16%.

* Value measured by the test defined in International Energy Star Program.

Adjustable toner output

Toner density is adjustable in six steps. Printing at lower density saves toner and helps reduce costs.



Options

On a desk or on the floor.
Choose the location
that's best for you.



NDA model



One Tray Module



One Tray Module Stand

Note: Use Fuji Xerox toner cartridges to ensure optimal performance and efficient recycling.

DocuCentre S2011 Functions & Specifications

Basic Function / Copy Function

| Item | Description |
|------------------------------------|--|
| Type | Desktop |
| Memory capacity | 256 MB (Max : 256 MB) |
| Scan Resolution | 600 x 600 dpi |
| Print Resolution | 600 x 600 dpi |
| Warm-up Time | 19 seconds or less (20 degrees Celsius room temperature) |
| Original Size | Maximum of 297 x 432 mm (A3, 11 x 17") for both Sheet and Book |
| Paper Size | Max 297 x 432 mm, A3, 11 x 17", Bypass Tray : 297 x 432 mm, A3, 11 x 17" |
| | Min A5, Bypass Tray : 127 x 98 mm |
| Image loss width | Lead Edge : 5.5 mm, Trail Edge : 6.0 mm, Right & Left Edges : 5.5 mm |
| | |
| Paper Weight ¹ | Tray 1 60 to 90 gsm |
| | Tray 2 (Option) 60 to 216 gsm |
| | Bypass Tray 60 to 216 gsm |
| First Copy Output Time | 7.4 seconds or less (A4 LEF) |
| Continuous Copy Speed ² | A4 LEF/B5 LEF 20 ppm, In Duplex : 13.1 ppm |
| | A4 15 ppm, In Duplex : 8.7 ppm |
| | B4 12 ppm, In Duplex : 7.9 ppm |
| | A3 10 ppm, In Duplex : 7.2 ppm |
| Paper Tray Capacity ³ | Standard Tray1 : 250 sheets, Bypass Tray : 100 sheets |
| | Optional One Tray Module (Tray2) : 500 sheets |
| | Max 850 sheets (Tray1 + One Tray Module + Bypass Tray) |
| Output Tray Capacity ³ | 250 sheets (A4 LEF) |
| Power Source | AC220-240 V +/- 10 %, 6 A, 50 / 60 Hz common |
| Maximum Power Consumption | AC220 V: 1.3 kW or less, AC240 V: 1.4 kW or less, Low Power mode: 14 W or less, Deep Sleep mode: 2 W or less |
| Dimensions | W 595 x D 584 x H 569 mm |
| Weight ⁴ | 33 kg |

*1: It is recommended to use Fuji Xerox recommended paper. Correct print output may not be possible depending on the requirement.

*2: The speed may be reduced due to the image quality adjustment. The performance may be reduced depending on the paper type.

*3: When Using 80 gsm paper.

*4: Excluding Toner Cartridge.

Print Function

| Item | Description |
|---|--|
| Type | Built-in type |
| Continuous Print Speed ¹ | Same as the Basic Specifications / Copy Function |
| Print Resolution | 600 x 600 dpi |
| Page Description Language | HBPL (Host Based Print Language) |
| Operation System ² | Windows® XP (32bit), Windows Server® 2003 (32bit) |
| | Windows Vista® (32bit), Windows Server® 2008 (32bit) |
| | Windows® 7 (32bit), Windows® 8 (32bit) |
| | Windows® XP Professional (64bit), Windows Server® 2003 (64bit) |
| | Windows Vista® (64bit), Windows Server® 2008 (64bit) |
| Windows® 7 (64bit), Windows Server® 2008 R2 (64bit) | |
| Windows® 8 (64bit), Windows Server® 2012 (64bit) | |
| Interface | USB2.0, Ethernet 100BASE-TX / 10BASE-T |

*1: The speed may be reduced due to image quality adjustment. Print speed may also drop depending on the documents.

*2: Please refer to the Fuji Xerox web site for the latest supported operating systems

Scan Function

| Item | Description |
|-------------------------|--|
| Type | Colour Scanner |
| Scan Resolution | B / W : 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi Colour : 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi |
| Scan Speed ¹ | B / W : 23 ppm, Colour (200 dpi) : 23 ppm [Fuji Xerox Standard Paper (A4 LEF), 200dpi] |
| Interface | USB2.0 |

*1: The scanning speed varies depending to documents. Fuji Xerox Standard Document (A4), 200 dpi, using TWAIN driver (USB).

Duplex Automatic Document Feeder

| Item | Description |
|--------------------------------|--|
| Original Size | Max : A3, 11 x 17", Min : A5 |
| Paper Weight | 38 to 128 gsm (2 Sided : 50 to 128 gsm) |
| Capacity ¹ | 110 sheets |
| Feeding Speed (A4 LEF Simplex) | 20 ppm (A4 LEF, 1 Sided), 13 ppm (A4 LEF, 2 Sided) |
| Dimensions | W 540 x D 492 x H 125 mm |
| Weight | 8 kg |

*1: When Using 80 gsm paper.

Notes

1) If the storage media (such as hard disk drives) of the base unit fail, loss of received data, accumulated data, registered setting data, etc. may occur. In no event shall Fuji Xerox be liable for any damages whatsoever arising from loss of data.

2) The product specifications, appearance and other details in this catalog are subject to change without notice for improvements.

Other company names or product names are registered trademarks or trademarks of each company.

Reproduction Prohibitions Please note that reproduction of the following is prohibited by law : Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.



For Your Safety

Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.



For more information or detailed product specification,
please call or visit us at

Fuji Xerox Asia Pacific Pte Ltd

80 Anson Road #37-00 Fuji Xerox Towers Singapore 079907

Tel. +65-6766-8888

<http://www.fxap.com.sg/>