

> PRINT

ECOSYS P6130cdn ECOSYS P6035cdn ECOSYS P7040cdn

COLOR PRINTER FOR A4 FORMAT

BRILLIANT PERFORMANCE WITH HIGH LEVEL OF SECURITY



- Fast A4 print to 40 ppm (Mono/Color) (ECOSYS P7040cdn).
- Support high print volume with paper capacity up to 2,100 sheets*.
- Equipped with robust features like standard duplex unit for double-sided printing and direct printing from USB.
- Support Air Print and Mopria certified.
- Standard 512MB RAM to meet heavy duty tasks without additional memory required.
- Visually clear with 5 line LCD display and numeric key (ECOSYS P6035cdn, ECOSYS P7040cdn).
- Exceptionally low printing costs in its class.

*Main unit + Multi-Purpose Tray + Optional PF-5100 x 3



Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a Company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Building High Performance

These color printers are designed to fulfil high efficiency and demands from workplace with their speed, excellent color quality, intelligent network and security features. They offer benefits for cost savings with the cost-effective ECOSYS technology and long-life components.





- Smooth envelope printing with 'Auto Envelope Mode'.
- Support Job retention with SD card / SSD storage device (Optional).
- Ready to use with pre-installed initial toner.
- · Direct print from USB memory.
- Auto duplex as standard.

Sophisticated Security Protection

- Authentication management among departments via IC Card.
- Sophisticated network security (SSL, IPsec) as standard and prevent improper access.
- **Private Print** enables secure print jobs with preset password[#] request at the device.



Benefiting the Earth

- Low energy consumption
 Energy Star Ver.2.0 certified.
- Free of Hazardous material Fulfilled the requirements of **RoHS** (Restriction of Hazardous Substances) & usage of **Lead-Free Parts**.
- Reduce wastage by Long Life Consumables and Drums.
- Reduce noise by **Quiet Mode**.



Leading-edge Business Applications

By combining the innovative Business Applications, these color printers can manage document in an effective approach.

KYOCERA MyPanel

Remote control designated KYOCERA devices by smartphone or tablet.



KYOCERA Net Manager

Control sensitive documents and reduce printing costs.



KYOCERA Mobile Print

Conveniently print files, web pages and images using smartphone or tablet.



AirPrint

Print documents, photographs, images, etc. directly from iOS devices/Mac.



[#] ECOSYS P6035cdn, ECOSYS P7040cdn

		Main Specifications		
Model		ECOSYS P6130cdn	ECOSYS P6035cdn	ECOSYS P7040cdn
Туре		Desktop		
Writing Method		Semiconductor Laser		
Print Speed (A4) (Mono/Color)		30/30 ppm	35/35 ppm	40/40 ppm
First Print Out Time (Mono/Color)		7.0 sec / 8.0 sec	6.5 sec / 7.5 sec	6.0 sec / 7.0 sec
Warm Up Time		26 seconds	25 seconds	24 seconds
Resolution		20 300011103	600 x 600 dpi, 9600 x 600 dpi level	2 / 3636/103
Duplex			Auto	
Control Panel		2 lines LCD Panel 5 lines LCD Panel with Numeric Key		
Power Consumption (Standard configuration)	Print Mode	479W	523W	661W
		56W	65W	83W
	Stand-by Mode	3000	San 1979/2019 19	83 VV
	Sleep Mode		2.1W	
Noise (ISO7779/ ISO9296)	Print Mode	49.5dB(A)	52dB(A)	53.5dB(A)
	Stand-by Mode		30dB(A)	
Dimension (W x D x H) (Main Unit)		390mm x 532mm x 409.5mm		nm x 469.5mm
Weight (Main Unit)		Approx. 28.0 kg	Approx. 29.0 kg	Approx. 30.5 kg
		Controller		
CPU		PowerPC465S 1GHz		
Memory		Standard 512MB (Max. 2048MB)		
Standard Interface		USB 2.0 High Speed x1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host x2		
PDL		PRESCRIBE, PCL6 (PCL5c, PCL-XL), KPDL3 (Postscript 3 compatible), PDF Direct Print Ver. 1.7, XPS		
Network Printing		TCP/IP, FTP, LPR, Port9100, IPP, IPP over SSL/TLS, NetBEUI, WSD Print, Apple Bonjour		
Operating System		Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1; Apple Macintosh OS X 10.5 or later, Linux		
USB Memory Printing		Standard		
USB Memory Printing Format		TIFF, JPEG, PDF, XPS		
e-mail Printing		Standard		
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print		
			Paper Handling	
Paper Capacity	Standard	500 sheets x1 (Cassette) + 100 sheets (MPT)		
	Maximum	2,100 sheets (Main Unit + PF-5100 x3 + MPT)		
Paper Size	Cassette	Min. A6R – Max. A4 (Legal)		
	Option	Min. A5R – Max. A4 (Legal)		
	MPT	Min. A6R – Max. A4 (Legal)		
Paper Weight	Cassette	60 – 163 g/m ²		
	Option	60 – 220 g/m²		
	MPT	60 – 220 g/m ²		
Duplex Printing		Paper size: A5R – A4/Legal; Paper weight: 60 – 163 g/m²		
Output Capacity		Max. 250 sheets face-down	Max. 500 shee	
			Consumables & Options	
Toner Kit (Page Yield in accordance with ISO/IEC 19798)		TK-5144K : Black (7,000 pages) TK-5144C : Cyan (5,000 pages) TK-5144M : Magenta (5,000 pages) TK-5144Y : Yellow (5,000 pages)	TK-5154K : Black (12,000 pages) TK-5154C : Cyan (10,000 pages) TK-5154M : Magenta (10,000 pages) TK-5154Y : Yellow (10,000 pages)	TK-5164K : Black (16,000 pages) TK-5164C : Cyan (12,000 pages) TK-5164M : Magenta (12,000 pages) TK-5164Y : Yellow (12,000 pages)
Capacity of Start up Toner		Black 3,500 pages Cyan/Magenta/Yellow 2,500 pages	Black 6,000 pages Cyan/Magenta/Yellow 5,000 pages	Black 8,000 pages Cyan/Magenta/Yellow 6,000 pages
Maintenance Kit		MK-5144 (200,000 pages)	MK-5154 (200,000 pages)	MK-5164 (300,000 pages)
Paper Feeder		PF-5100: 500 sheets (Max. x3)		
Data Security		Data Security Kit(E) AC		
Card Authentication		Card Authentication Kit(B) AC		
Gigabit Ethernet Board		IB-50		
Gigabit Ethernet Boa		IB-51		
Gigabit Ethernet Boa Wireless LAN Interfa	ce		IB-51	







KYOCERA Document Solutions Singapore Pte. Ltd.

12 Tai Seng Street, #04-01A Luxasia Building Singapore 534118 Tel: (65) 6741 8733 Fax: (65) 6748 3788 www.kyoceradocumentsolutions.com.sg

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

KYOCERA Business Partner

@All rights reserved. Brochure/KDAS/201504/Mebius Printer